



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/807,131	05/23/2001	Mikko Huttunen	P-277995	4288
909	7590	11/26/2004	EXAMINER	
PILLSBURY WINTHROP, LLP			WANG, TED M	
P.O. BOX 10500			ART UNIT	
MCLEAN, VA 22102			PAPER NUMBER	
			2634	

DATE MAILED: 11/26/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No. 09/807,131	Applicant(s) HUTTUNEN, MIKKO	
	Examiner Ted M Wang	Art Unit 2634	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 19 July 2004.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-15 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-3, 5-8, 10-13 and 15 is/are rejected.
- 7) ☒ Claim(s) 4, 9 and 14 is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 8/12/2004 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☒ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|-----------------------------------------------------------------------------------------|-----------------------------------------------------------------------------|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Examiner's Statement

1. Applicants' arguments filed on 07/19/2004, with respect to Claims 1-3, 5-8, 10-13, and 15 have been fully considered and are persuasive. The rejection of Claims 1-3, 5-8, 10-13, and 15 set forth in the previous office action, filed on 6/04/2004, has been withdrawn and because of the current amendment a new ground of rejection follows.

Claim Rejections - 35 USC § 103

2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

3. Claims 1, 6, and 11 are rejected under 35 U.S.C. 103(a) as being unpatentable over Lindoff et al. (US 6,463,107) in view of Koch (US 5,199,047).

- With regard claim 1, Lindoff et al. discloses a method for selecting a modulation detector or type in a receiver which includes at least a first and a second detector (Fig.2A element 210, Fig.2B element 212, Fig.2C and 2D step 218, and column 3 lines 13-61), the method comprising: selecting a detector used for detection of a signal to be received on the basis of the determined at least one cross-correlation value (Fig.1A and column 3 lines 13 - 62).

Lindoff et al. discloses all of the subject matter as described above except for specifically teaching determining at least one cross-correlation value between a stored training sequence and at least one training sequence of a received signal as claimed.

However, Koch teaches a frame estimation method for determining at least one cross-correlation value between a stored training sequence and at least one training sequence of a received signal (Fig.1 elements 24, 26-28, Fig.3 elements 25-28, 32-35, column 4 line 47 – column 5 line 24, and column 7 line 59 – column 8 line 27).

It is desirable for determining at least one cross-correlation value between a stored training sequence and at least one training sequence of a received signal. One approach to achieve the desired advantage can be implemented by adopting Koch 's teaching, namely using the signal processor to determines the channel impulse response in a known manner by means of cross-correlation of the sample value Z stored in the RAM with the training data sequence X stored in the ROM so as to save on modulation circuitry (column 6 line 63 –column 7 line 5). Therefore, It would have been obvious to one of ordinary skill in the art at the time of the invention was made to replace Lindoff's correlation method with the method as taught by Koch, in which determining at least one cross-correlation value between a stored training sequence and at least one training sequence of a received signal, so as to simplify or reduce the modulation circuit.

- With regard claim 6, which is a receiver means function claim related to claim 1, all limitation is contained in claim 1. The explanation of all the limitation is already addressed in the above paragraph.
- With regard claim 11, which is a receiver claim related to claim 1, all limitation is contained in claim 1. The explanation of all the limitation is already addressed in the above paragraph.

4. Claims 2, 7 and 12 are rejected under 35 U.S.C. 103(a) as being unpatentable over Lindoff et al. (US 6,463,107) and Koch (US 5,199,047) as applied to claim 1 above, and further in view of Kubo (US 5,140,617).

- With regard claim 2, Lindoff et al. and Koch disclose all of the subject matter as described above except for specifically teaching searching for an ideal synchronization point of the received signal, at which point the cross-correlation between the training sequence of the received signal and the stored training sequence has a maximum value; and calculating the cross-correlation value between the stored training sequence and the training sequence of the received signal, which is obtained by shifting a synchronization point of the received signal for one symbol sequence at least one of forwards or backwards from the ideal synchronization point as claimed.

However, Kubo teaches that searching for an ideal synchronization point of the received signal, at which point the cross-correlation between the training sequence of the received signal and the stored training sequence has a maximum value (Fig.1 and column 1 line 53 – column 2 line 27, Fig.4 and column

4 line 54 – column 5 line 19); and calculating the cross-correlation value between the stored training sequence and the training sequence of the received signal, which is obtained by shifting a synchronization point of the received signal for one symbol sequence at least one of forwards or backwards from the ideal synchronization point (Fig.1 and column 1 line 53 – column 2 line 6).

It is desirable to implement a method as described above. One approach to achieve the desired advantage can be implemented by adopting Kubo's teaching, namely a frame synchronization transmission is carried out at the beginning of communication wherein a known transmitted symbol sequence $x(n)$, $n=0, 1, \dots, N-1$ is transmitted, and a cross-correlation between the received symbol sequence and the known symbol sequence $x(n)$ is calculated for a predetermined number M of combinations of values; the received signal is successively delayed by an amount equal to a sample period of the signal, cross-correlation values for each delayed signal with respect to a known transmission pattern are calculated, and a predetermined number of cross-correlation values of subsequent phases are added to the cross-correlation value of each initial phase; the true initial phase of the signal is estimated to be the initial phase corresponding to the maximum sum of cross-correlation values in order to improve the interference between signals caused by multipath propagation or noise (column 4 lines 16-25). Therefore, It would have been obvious to one of ordinary skill in the art at the time of the invention was made to include the method as taught by Kubo into Lindoff et al. and Kochs' cross-correlation process

for determining at least one cross-correlation value so as to improve the interference between signals caused by multipath propagation or noise.

- With regard claim 7, which is a receiver means function claim related to claim 1, all limitation is contained in claim 2. The explanation of all the limitation is already addressed in the above paragraph.
- With regard claim 12, which is a receiver claim related to claim 1, all limitation is contained in claim 2. The explanation of all the limitation is already addressed in the above paragraph.

5. Claims 3, 5, 8, 10, 13, and 15 are rejected under 35 U.S.C. 103(a) as being unpatentable over Lindoff et al. (US 6,463,107) and Koch (US 5,199,047) as applied to claim 1 above, and further in view of Yamaguchi et al. (US 5,533,066).

- With regard claim 3, Lindoff et al. and Koch disclose all of the subject matter as described above except for specifically teaching that the received signal is a complex signal, whereby at least one cross-correlation value to be determined is a complex cross-correlation value.

However, Yamaguchi et al. teaches that the received signal is a complex signal, whereby at least one cross-correlation value to be determined is a complex cross-correlation value (Fig.14(b) and Fig.15 and column 13 line 23 – column 14 line 17).

It is desirable that the received signal is a complex signal, whereby at least one cross-correlation value to be determined is a complex cross-correlation value. a sampling phase calculating part calculates a complex cross-correlation function;

of a part corresponding to a training sequence of an equalizer of each sequence with respect to individual sample value sequences i of a reception signal $y(t)$ which are sampled in a plurality of different sampling phases and selects a sampling phase where the absolute value of the complex cross-correlation functions is maximized, then selects a sampling phase where the bit error rate is minimized according to a calculation based on the above selected sampling phase (Abstract). Therefore, It would have been obvious to one of ordinary skill in the art at the time of the invention was made to include the method as taught by Yamaguchi et al. in which, the received signal is a complex signal, whereby at least one cross-correlation value to be determined is a complex cross-correlation value, into Lindoff et al. and Kochs' cross-correlation process so as to improve the bit error rate.

- With claim 5, Lindoff et al. and Koch and Yamaguchi et al. disclose all of the subject matter as described above except for specifically teaching that the first detector includes a channel equalizer.

However, Koch further discloses that the first detector includes a Viterbi equalizer that simultaneously provides decoding and channel equalizer (Fig.1 and 3 element 25 and column 4 lines 21-46, and column 7 lines 59-66).

It is desirable that the first detector includes a channel equalizer so that the distortion of the original transmitted symbols can be improved (column 1 lines 28-33). Therefore, It would have been obvious to one of ordinary skill in the art at the time of the invention was made include a channel equalizer as taught by

Koch, in which the first detector including a channel equalizer, so as to eliminate the distortion of the original transmitted symbols.

- With regard claim 8, which is a receiver means function claim related to claim 1, all limitation is contained in claim 3. The explanation of all the limitation is already addressed in the above paragraph.
- With regard claim 10, which is a receiver claim related to claim 1, all limitation is contained in claim 5. The explanation of all the limitation is already addressed in the above paragraph.
- With regard claim 13, which is a receiver means function claim related to claim 3, all limitation is contained in claim 3. The explanation of all the limitation is already addressed in the above paragraph.
- With regard claim 15, which is a receiver claim related to claim 1, all limitation is contained in claim 5. The explanation of all the limitation is already addressed in the above paragraph.

Allowable Subject Matter

6. Claims 4, 9, and 14 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Conclusion

7. References US 4,713,829 and US 5,600,673 are cited because they are put pertinent to a transmission system with cross-correlation and channel equalizer.

However, none of references teach detailed connection as recited in claim.


8. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ted M Wang whose telephone number is (571) 272-3053. The examiner can normally be reached on 8:30 a.m. - 5:00 p.m..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Stephen Chin can be reached on (571) 272-3056. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 306-0377.

Ted M Wang
Examiner
Art Unit 2634

Ted M. Wang


SHUWANG LIU
PRIMARY EXAMINER